

Semi-Synthetic Tech Cool® Metalworking Fluids



Tech Cool metalworking fluids are a stable, emulsion blend of mineral oil, corrosion inhibitors, and extreme pressure additives. When mixed with water, they form a translucent solution that provides cooling, lubricity, and protection. Tech Cool metalworking fluids offer a cleaner metalworking operation even in high speed/high pressure machines.

Advantages of Tech Cool

- ⊕ Extended sump life.
- ⊕ Low foaming.
- ⊕ Increased sump life.
- ⊕ Rejects tramp oils.
- ⊕ Superior corrosion protection.
- ⊕ Hard and soft water compatibility.
- ⊕ Non-chlorinated and chlorinated options.
- ⊕ Multi-metal applications.

BASF
We create chemistry

Chemetall
expect more ⊕


Water Soluble, Semi-Synthetic Metalworking Fluids

Tech Cool line quick compare chart

Product	Description	Characteristics							Metals										Primary Applications								
		Oil Content	Extreme Pressure Additives	Refractometer Factor	Coolant Pressure	Tamp Oil Management	Sump Life	Hard Water Stability	Mild/Low Carbon Steels	Tool & Stainless Steels	Cast Iron	Galvanized Iron	Titanium	Aluminum	Nickel (Inconel, Hastelloy, Waspaloy, Rene)	Copper Alloys (Brass, Bronze, & Copper)	Molybdenum	General Machining	Reaming	Tapping	Drilling	Broaching	Honing	Hobbing	Grinding	Gun Drilling	
Tech Cool 35035NB	Medium oil, multi-metal, medium-duty, low foaming, enhanced stability	Medium	Yes	1.96	High	Good	Excellent	Good	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35045	High oil, multi-metal, heavy-duty, very low foaming	High	Yes	1.25	High	Excellent	Good	Excellent	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35045	Very high oil, multi-metal, heavy-duty, sulfur EP additive	Very high	Yes	1.00	Medium	Good	Good	Excellent	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35048	Very high oil, multi-metal, medium-duty	Very high		1.10	Medium	Good	Good	Excellent	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35048BF	Very high oil, multi-metal, boron-free, exceptional lubricity on aluminum	Very high		1.10	Medium	Excellent	Excellent	Excellent	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35052	High oil, multi-metal, extra-heavy-duty, very low foaming, enhanced stability, chlorinated	High	Yes	1.25	High	Excellent	Excellent	Excellent	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35052CF	High oil, multi-metal, heavy-duty, low foaming, enhanced stability	High		1.13	High	Excellent	Excellent	Excellent	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35058	Very high oil, multi-metal, heavy-duty, very low foaming	Very high		1.10	High	Good	Excellent	Excellent	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35075	Very high oil, multi-metal, medium-duty	Very high		1.00	Low	Good	Excellent	Excellent	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35100NB	Low oil, ferrous metal, enhanced stability, light-medium-duty	Low		2.17	Medium	Good	Excellent	Good	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35115	Low oil, ferrous metal, light-medium-duty	Low		1.52	Low	Good	Excellent	Good	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tech Cool 35200	Medium oil, ferrous metal, medium-duty, exceptionally clean running on cast iron	Medium		1.67	Medium	Excellent	Excellent	Good	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+



Cut it. Clean it. Coat it. Control it. Conserve it.® with us!



Proving to be the cleanest running coolants in the metalworking industry!

- + Enhance your productivity.
- + Easy maintenance.
- + Improved chip handling.
- + Extended tool life.
- + Reduced consumption.
- + Operator endorsed.

With our innovative and award winning line of Tech Cool coolants, we are dedicated to your success in every way!

We are the Surface Treatment global business unit of the Coatings division of BASF, operating under the Chemetall brand, a leading supplier of applied surface treatments and services for metal, plastic, and glass substrates in a vast range of industries and end markets. As process innovators, fully dedicated to your success, we develop, manufacture, and provide best-in-class technologies, systems, and expertise.

Chemetall is proud to serve North America from the following locations

North American Headquarters

675 Central Avenue
New Providence, NJ
07974
Tel: 908-464-6900
Toll-free: 800-526-4473
Fax: 908-464-7914

Chemetall Canada

1 Kenview Blvd.
Suite 110
Brampton, Ontario
L6T 5E6
Tel: 905-791-1628
Toll-free: 877-311-1471
Fax: 905-791-1459

Chemetall Mexicana, S.A. de C.V.

Avenida El Tepeyac No. 1420-B
Parque Industrial O'Donnell-Aeropuerto
El Marqués, Querétaro
C.P. 76250, México
Querétaro Tel: +52 (442) 227 2000
Monterrey Tel: +52 (81) 8371 2517

Chemetall U.S.

1100 Technology Drive
Jackson, MI 49201
Tel: 517-787-4846
Toll-free: 877-941-3800
Fax: 517-787-5538

Chemetall U.S.

46716 Lakeview Blvd.
Fremont, CA 94538
Tel: 408-387-5340
Fax: 408-809-2883

www.ChemetallINA.com

The product information contained in this brochure has been compiled to the best of our knowledge on the basis of thorough tests and research work and with regard to the current state of our practical experience in the industry. This product information is non-binding. Our statements relating to possible uses of the product do not constitute a guarantee that such uses are appropriate in a particular user's case or that such uses do not infringe the patents or proprietary rights of any third party. The user should undertake sufficient verification and testing to determine the suitability of the product for its particular purpose. We assume no risk or liability whatever in connection with any particular use, if not expressly confirmed by us in writing. Therefore, Chemetall grants no warranty and does not accept any liability in connection with this product information or its use. Except where noted otherwise, all registered trademarks are owned by Chemetall or its affiliated companies. The reproduction of any or all of the information contained in this brochure is expressly forbidden without Chemetall's prior written consent.